

APPENDIX A

NATIONAL PRIORITIES LIST CHARACTERISTICS FORM AND HAZARD RANKING SYSTEM QUICKSCORE DOCUMENTATION RECORD

****** CONFIDENTIAL ******
******PRE-DECISIONAL DOCUMENT ******
****** SUMMARY SCORESHEET ******
****** FOR COMPUTING PROJECTED HRS SCORE ******

****** Do Not Cite or Quote ******

Site Name: Jackpile-Paguate Uranium Mine Region: Region 6

Scenario Name: PA Scoring

City, County, State: Paguate, Cibola Evaluator: Michelle Brown
County, New Mexico

EPA ID#: NMN000607033 Date: 04/20/2010

Lat/Long: 35:8:16.74,107:20:51.84

Congressional District: 2nd

This Scoresheet is for: PA

Scenario Name: PA Scoring

Description: scoring based on information within the Preliminary Assessment

	S pathway	S ² pathway
Ground Water Migration Pathway Score (S _{gw})	32.43	1051.7049
Surface Water Migration Pathway Score (S _{sw})	100.0	10000.0
Soil Exposure Pathway Score (S _s)	0.0	0.0
Air Migration Score (S _a)	0.0	0.0
$S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2$		11051.7049
$(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4$		2762.926225
$\sqrt{(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4}$		52.563544638846416

Pathways not assigned a score (explain):

TABLE 3-1 --GROUND WATER MIGRATION PATHWAY SCORESHEET

Factor categories and factors	Maximum Value	Value Assigned
Aquifer Evaluated:		
Likelihood of Release to an Aquifer:		
1. Observed Release	550	550.0
2. Potential to Release:		
2a. Containment	10	10.0
2b. Net Precipitation	10	1.0
2c. Depth to Aquifer	5	5.0
2d. Travel Time	35	1.0
2e. Potential to Release [(lines 2a(2b + 2c + 2d)]	500	70.0
3. Likelihood of Release (higher of lines 1 and 2e)	550	550.0
Waste Characteristics:		
4. Toxicity/Mobility	(a)	10000.0
5. Hazardous Waste Quantity	(a)	1000000.0
6. Waste Characteristics	100	320.0
Targets:		
7. Nearest Well	(b)	3.0
8. Population:		
8a. Level I Concentrations	(b)	0.0
8b. Level II Concentrations	(b)	0.0
8c. Potential Contamination	(b)	7.2
8d. Population (lines 8a + 8b + 8c)	(b)	7.2
9. Resources	5	5.0
10. Wellhead Protection Area	20	0.0
11. Targets (lines 7 + 8d + 9 + 10)	(b)	15.2
Ground Water Migration Score for an Aquifer:		
12. Aquifer Score [(lines 3 x 6 x 11)/82,500] ^c	100	32.43
Ground Water Migration Pathway Score:		
13. Pathway Score (S_{gw}), (highest value from line 12 for all aquifers evaluated) ^c	100	0.0

^a Maximum value applies to waste characteristics category

^b Maximum value not applicable

^c Do not round to nearest integer

TABLE 3-1 --GROUND WATER MIGRATION PATHWAY SCORESHEET

Factor categories and factors	Maximum Value	Value Assigned
Aquifer Evaluated:		
Likelihood of Release to an Aquifer:		
1. Observed Release	550	550.0
2. Potential to Release:		
2a. Containment	10	10.0
2b. Net Precipitation	10	1.0
2c. Depth to Aquifer	5	5.0
2d. Travel Time	35	1.0
2e. Potential to Release [(lines 2a(2b + 2c + 2d)]	500	70.0
3. Likelihood of Release (higher of lines 1 and 2e)	550	550.0
Waste Characteristics:		
4. Toxicity/Mobility	(a)	10000.0
5. Hazardous Waste Quantity	(a)	1000000.0
6. Waste Characteristics	100	320.0
Targets:		
7. Nearest Well	(b)	3.0
8. Population:		
8a. Level I Concentrations	(b)	0.0
8b. Level II Concentrations	(b)	0.0
8c. Potential Contamination	(b)	7.2
8d. Population (lines 8a + 8b + 8c)	(b)	7.2
9. Resources	5	5.0
10. Wellhead Protection Area	20	0.0
11. Targets (lines 7 + 8d + 9 + 10)	(b)	15.2
Ground Water Migration Score for an Aquifer:		
12. Aquifer Score [(lines 3 x 6 x 11)/82,500] ^c	100	32.43
Ground Water Migration Pathway Score:		
13. Pathway Score (S_{gw}), (highest value from line 12 for all aquifers evaluated) ^c	100	0.0

^a Maximum value applies to waste characteristics category

^b Maximum value not applicable

^c Do not round to nearest integer

TABLE 4-1 --SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT SCORESHEET

Factor categories and factors	Maximum Value	Value Assigned
Watershed Evaluated:		
Drinking Water Threat		
Likelihood of Release:		
1. Observed Release	550	550.0
2. Potential to Release by Overland Flow:		
2a. Containment	10	10.0
2b. Runoff	10	0.0
2c. Distance to Surface Water	5	25.0
2d. Potential to Release by Overland Flow [lines 2a(2b + 2c)]	35	250.0
3. Potential to Release by Flood:		
3a. Containment (Flood)	10	10.0
3b. Flood Frequency	50	7.0
3c. Potential to Release by Flood (lines 3a x 3b)	500	70.0
4. Potential to Release (lines 2d + 3c, subject to a maximum of 500)	500	320.0
5. Likelihood of Release (higher of lines 1 and 4)	550	550.0
Waste Characteristics:		
6. Toxicity/Persistence	(a)	0.0
7. Hazardous Waste Quantity	(a)	1000000.0
8. Waste Characteristics	100	0.0
Targets:		
9. Nearest Intake	50	0.0
10. Population:		
10a. Level I Concentrations	(b)	0.0
10b. Level II Concentrations	(b)	0.0
10c. Potential Contamination	(b)	0.0
10d. Population (lines 10a + 10b + 10c)	(b)	0.0
11. Resources	5	0.0
12. Targets (lines 9 + 10d + 11)	(b)	0.0
Drinking Water Threat Score:		
13. Drinking Water Threat Score [(lines 5x8x12)/82,500, subject to a max of 100]	100	0.0
Human Food Chain Threat		
Likelihood of Release:		
14. Likelihood of Release (same value as line 5)	550	550.0
Waste Characteristics:		
15. Toxicity/Persistence/Bioaccumulation	(a)	5.0E7
16. Hazardous Waste Quantity	(a)	1000000.0
17. Waste Characteristics	1000	560.0
Targets:		
18. Food Chain Individual	50	45.0
19. Population		
19a. Level I Concentration	(b)	0.0
19b. Level II Concentration	(b)	0.0
19c. Potential Human Food Chain Contamination	(b)	0.0
19d. Population (lines 19a + 19b + 19c)	(b)	0.0
20. Targets (lines 18 + 19d)	(b)	45.0
Human Food Chain Threat Score:		
21. Human Food Chain Threat Score [(lines 14x17x20)/82500, subject to max of 100]	100	100.0
Environmental Threat		
Likelihood of Release:		
22. Likelihood of Release (same value as line 5)	550	550.0
Waste Characteristics:		
23. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)	0.0
24. Hazardous Waste Quantity	(a)	1000000.0
25. Waste Characteristics	1000	0.0

Targets:

26. Sensitive Environments		
26a. Level I Concentrations	(b)	0.0
26b. Level II Concentrations	(b)	0.0
26c. Potential Contamination	(b)	0.0
26d. Sensitive Environments (lines 26a + 26b + 26c)	(b)	0.0
27. Targets (value from line 26d)	(b)	0.0

Environmental Threat Score:

28. Environmental Threat Score [(lines 22x25x27)/82,500 subject to a max of 60]	60	0.0
---	----	-----

Surface Water Overland/Flood Migration Component Score for a Watershed

29. Watershed Score ^c (lines 13+21+28, subject to a max of 100)	100	100.00
--	-----	--------

Surface Water Overland/Flood Migration Component Score

30. Component Score (S_{sw}) ^c (highest score from line 29 for all watersheds evaluated)	100	100.00
---	-----	--------

^a Maximum value applies to waste characteristics category

^b Maximum value not applicable

^c Do not round to nearest integer

TABLE 4-25 --GROUND WATER TO SURFACE WATER MIGRATION COMPONENT SCORESHEET

Factor categories and factors	Maximum Value	Value Assigned
Aquifer Evaluated:		
Drinking Water Threat		
Likelihood of Release to an Aquifer:		
1. Observed Release	550	0.0
2. Potential to Release:		
2a. Containment	10	0.0
2b. Net Precipitation	10	0.0
2c. Depth to Aquifer	5	0.0
2d. Travel Time	35	0.0
2e. Potential to Release [(lines 2a(2b + 2c + 2d)]	500	0.0
3. Likelihood of Release (higher of lines 1 and 2e)	550	0.0
Waste Characteristics:		
4. Toxicity/Mobility	(a)	0.0
5. Hazardous Waste Quantity	(a)	0.0
6. Waste Characteristics	100	0.0
Targets:		
7. Nearest Well	(b)	0.0
8. Population:		
8a. Level I Concentrations	(b)	0.0
8b. Level II Concentrations	(b)	0.0
8c. Potential Contamination	(b)	0.0
8d. Population (lines 8a + 8b + 8c)	(b)	0.0
9. Resources	5	0.0
10. Targets (lines 7 + 8d + 9)	(b)	0.0
Drinking Water Threat Score:		
11. Drinking Water Threat Score [(lines 3 x 6 x 10)/82,500, subject to max of 100]	100	0.0
Human Food Chain Threat		
Likelihood of Release:		
12. Likelihood of Release (same value as line 3)	550	0.0
Waste Characteristics:		
13. Toxicity/Mobility/Persistence/Bioaccumulation	(a)	0.0
14. Hazardous Waste Quantity	(a)	0.0
15. Waste Characteristics	1000	0.0
Targets:		
16. Food Chain Individual	50	0.0
17. Population		
17a. Level I Concentration	(b)	0.0
17b. Level II Concentration	(b)	0.0
17c. Potential Human Food Chain Contamination	(b)	0.0
17d. Population (lines 17a + 17b + 17c)	(b)	0.0
18. Targets (lines 16 + 17d)	(b)	0.0
Human Food Chain Threat Score:		
19. Human Food Chain Threat Score [(lines 12x15x18)/82,500,subject to max of 100]	100	0.0
Environmental Threat		
Likelihood of Release:		
20. Likelihood of Release (same value as line 3)	550	0.0
Waste Characteristics:		
21. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)	0.0
22. Hazardous Waste Quantity	(a)	0.0
23. Waste Characteristics	1000	0.0
Targets:		
24. Sensitive Environments		
24a. Level I Concentrations	(b)	0.0
24b. Level II Concentrations	(b)	0.0
24c. Potential Contamination	(b)	0.0

24d. Sensitive Environments (lines 24a + 24b + 24c)	(b)	0.0	
25. Targets (value from line 24d)	(b)		0.0
Environmental Threat Score:			
26. Environmental Threat Score [(lines 20x23x25)/82,500 subject to a max of 60]	60		0.0
Ground Water to Surface Water Migration Component Score for a Watershed			
27. Watershed Score ^c (lines 11 + 19 + 28, subject to a max of 100)	100		0.0
28. Component Score (S _{gs}) ^c (highest score from line 27 for all watersheds evaluated, subject to a max of 100)	100		-1.0

^a Maximum value applies to waste characteristics category

^b Maximum value not applicable

^c Do not round to nearest integer

TABLE 5-1 --SOIL EXPOSURE PATHWAY SCORESHEET

Factor categories and factors	Maximum Value	Value Assigned
Likelihood of Exposure:		
1. Likelihood of Exposure	550	
Waste Characteristics:		
2. Toxicity	(a)	0.0
3. Hazardous Waste Quantity	(a)	
4. Waste Characteristics	100	0.0
Targets:		
5. Resident Individual	50	
6. Resident Population:		
6a. Level I Concentrations	(b)	
6b. Level II Concentrations	(b)	
6c. Population (lines 6a + 6b)	(b)	
7. Workers	15	
8. Resources	5	
9. Terrestrial Sensitive Environments	(c)	
10. Targets (lines 5 + 6c + 7 + 8 + 9)	(b)	0.0
Resident Population Threat Score		
11. Resident Population Threat Score (lines 1 x 4 x 10)	(b)	0.0
Nearby Population Threat		
Likelihood of Exposure:		
12. Attractiveness/Accessibility	100	0.0
13. Area of Contamination	100	5.0
14. Likelihood of Exposure	500	0.0
Waste Characteristics:		
15. Toxicity	(a)	0.0
16. Hazardous Waste Quantity	(a)	0.0
17. Waste Characteristics	100	0.0
Targets:		
18. Nearby Individual	1	0.0
19. Population Within 1 Mile	(b)	
20. Targets (lines 18 + 19)	(b)	
Nearby Population Threat Score		
21. Nearby Population Threat (lines 14 x 17 x 20)	(b)	0.0
Soil Exposure Pathway Score:		
22. Pathway Score ^d (S _s), [(lines (11+21)/82,500, subject to max of 100]	100	0.0

^a Maximum value applies to waste characteristics category

^b Maximum value not applicable

^c No specific maximum value applies to factor. However, pathway score based solely on terrestrial sensitive environments is limited to a maximum of 60

^d Do not round to nearest integer

TABLE 6-1 --AIR MIGRATION PATHWAY SCORESHEET

Factor categories and factors	Maximum Value	Value Assigned
Likelihood of Release:		
1. Observed Release	550	
2. Potential to Release:		
2a. Gas Potential to Release	500	
2b. Particulate Potential to Release	500	
2c. Potential to Release (higher of lines 2a and 2b)	500	
3. Likelihood of Release (higher of lines 1 and 2c)	550	
Waste Characteristics:		
4. Toxicity/Mobility	(a)	
5. Hazardous Waste Quantity	(a)	
6. Waste Characteristics	100	
Targets:		
7. Nearest Individual	50	
8. Population:		
8a. Level I Concentrations	(b)	
8b. Level II Concentrations	(b)	
8c. Potential Contamination	(c)	
8d. Population (lines 8a + 8b + 8c)	(b)	
9. Resources	5	
10. Sensitive Environments:		
10a. Actual Contamination	(c)	
10b. Potential Contamination	(c)	
10c. Sensitive Environments (lines 10a + 10b)	(c)	
11. Targets (lines 7 + 8d + 9 + 10c)	(b)	
Air Migration Pathway Score:		
12. Pathway Score (S_a) $[(\text{lines } 3 \times 6 \times 11)/82,500]^d$	100	

^a Maximum value applies to waste characteristics category

^b Maximum value not applicable

^c No specific maximum value applies to factor. However, pathway score based solely on sensitive environments is limited to a maximum of 60.

^d Do not round to nearest integer